Index of Authors

Abe K, see Takenaka S, 699
Agarwal KN *Iron and the brain: neurotransmitter receptors and magnetic resonance spectroscopy*, DOI: 10.1049/BJN2000307, S147
Ågren JJ, Tvrzicka E, Nenonen MT, Helve T & Hänninen O *Divergent changes in serum sterols during a strict uncooked vegan diet in patients with rheumatoid arthritis (Short communication)*, DOI: 10.1079/BJN2000234, 137
Albano F, see Kovary K, 431
Alméras N, see Doucet E, 715
Archibald RF, see Pearson RA, 599
Arnaud J, Fleites-Mestre P, Chassagne M, Verdura T, Garcia Garcia I, Hernandez-Fernandez T, Gautier H, Favier A, Pérez-Cristià R, Barnouin J & Neuropathy epidemic group *Vitamin B intake and status in healthy Havanan men, 2 years after the Cuban neuropathy epidemic*, DOI: 10.1079/BJN2001362, 741
Artur Y, see Haberkorn V, 289
Avella MA, see Lambert MS, 575

Baggott JE, Tamura T & Baker H *Re-evaluation of the metabolism of oral doses of racemic carbon-6 isomers of formyltetrahydrofolate in human subjects (Short communication)*, DOI: 10.1079/BJN2001323, 653
Bahl R, see Bhandari N, S131
Baker H, see Baggott JE, 653
Baker R, see Panter-Brick C, 125
Barber T, see Viña JR, 173
Barclay D, see Van Dael P, 157
Barkow B, Matte JJ, Böhme H & Flachowsky G *Influence of folic acid supplements on the carry-over of folates from the sow to the piglet*, DOI: 10.1079/BJN2000238, 179
Barlet J-P, see Picherit C, 307
Barletta A, see Iossa S, 89
Barlow S *Workshop: regulatory affairs*, DOI: 10.1079/BJN2000265, S63
Barnouin J, see Arnaud J, 741
Bates CJ *Intake and status in healthy Havana men, 2 years after the Cuban epidemic neuropathy (Invited commentary)*, DOI: 10.1079/BJN2001373, 641
Beauchemin KA, see Wang Y, 325
Beaufrère B, see Vermunt SHF, 387
Bellmann O, see Löhrke B, 447
Bennetau-Pelissero C, see Picherit C, 307
Bergot P, see Panserat S, 649
Berhane Y, see Lambert MS, 575
Bernard H, see Meisel H, 635
Beyer M, see Löhrke B, 447
Bhan MK, see Mahalanabis D, S151
Bhan MK, Sommerfelt H & Strand T *Micronutrient deficiency in children*, DOI: 10.1079/BJN2001315, S199
Bhandari N, Bahl R & Taneja S *Effect of micronutrient supplementation on linear growth of children*, DOI: 10.1049/BJN2000305, S131
Bhaskaram P *Immunobiology of mild micronutrient deficiencies*, DOI: 10.1079/BJN2000297, S75
Bhatnagar S & Taneja S *Zinc and cognitive development*, DOI: 10.1079/BJN2000306, S139
Black RE & Sazawal S *Zinc and childhood infectious disease morbidity and mortality*, DOI: 10.1079/BJN2000304, S125
Black RE *Micronutrients in pregnancy*, DOI: 10.1079/BJN2000314, S193
Blanco I, see Olmedilla B, 227
Blanco I, see O'Neill ME, 499
Boeing H, see Kroke A, 621
Boeing H, see Schulze MB, 363
Böhme H, see Barkow B, 179
Bonner S, see Sánchez-Castillo CP, 725
Boros M, see Ghyczy M, 409
Borrás E, see Viña JR, 173
Boschero AC, see Reis MAB, 549
Botham KM, see Lambert MS, 575
Bouchard C, see Doucet E, 715
Boucher BJ *Parathyroid hormone and dietary calcium (Letter to the Editors)*, DOI: 10.1079/BJN2000241, 243
Bourguet P, see Guerin S, 343
Brahmam GNV, see Sivakumar B, S167
Bratteby L-E, see Samuelson G, 333
Bremner DM, see Lobley GE, 689
Briend A *Highly nutrient-dense spreads: a new approach to delivering multiple micronutrients to high-risk groups*, DOI: 10.1049/BJN2000311, S175
Brighenti F, see Giacco R, 33
Brown DS, see Lobley GE, 689
Byrne CD, see Lewis RM, 193

Calder PC, see Miles EA, 185
Capuano M, see Giacco R, 33
Carneiro EM, see Reis MAB, 549
Carroll Y, see O'Neill ME, 499
Carroll YL, see Higgins S, 23
Chávarri M, see Macarulla MT, 607
Chan JCN, see Ko GTC, 239
Chang C-K & Snook JT *The cholesterolaemic effects of dietary fats in cholesteryl ester transfer protein transgenic mice (Short communication)*, DOI: 10.1079/BJN2001320, 643
Chanteranne B, see Picherit C, 307
Chardigny J-M, see Vermunt SHF, 387
Chassagne M, see Arnaud J, 741
Chen R, see Ko GTC, 239
Choi N-J, see Scollan ND, 115
Chopra M, see Olmedilla B, 227
Ciardullo AV, see Giacco R, 33
Cikot RJLM, Steegers-Theunissen RPM, Thomas CMG, de Boo TM, Merkus HMWM & Steegers EAP *Longitudinal vitamin and homocysteine levels in normal pregnancy*, DOI: 10.1079/BJN2000209, 49
Colombani PC, see Fischer K, 393
Combs GF Jr *Selenium in global food systems*, DOI: 10.1079/BJN2000280, 517
Corbacho A, see Viña JR, 173
Corish CA & Kennedy NP *Undernutrition in hospitals (Letter to the Editors)*, DOI: 10.1079/BJN2000295, 509
Corridan B, see Olmedilla B, 227
Corridan B, see O'Neill ME, 499
Corridan BM, see Higgins S, 23
Costa e Silva MC, see Kovary K, 431
Coxam V, see Picherit C, 307
Crescenzo R, see Iossa S, 89
Cross GB, Marley J, Miles H & Willson K *Changes in nutrient intake during the menstrual cycle of overweight women with premenstrual syndrome*, DOI: 10.1079/BJN2000283, 475
Cuesta C, see Oubiña P, 41
Cummings J, Lee A & Storey D *Workshop: physiology and tolerance of LDCs*, DOI: 10.1079/BJN2000263, S59
Cutting WA, see Doherty CP, 755

Da Costa THM, see Rodrigues MLCF, 107
Daneshvar B, see Young JF, 765
Darlington LG & Stone TW *Antioxidants and fatty acids in the amelioration of rheumatoid arthritis and related disorders (Review article)*, DOI: 10.1079/BJN2000239, 251
Davicco M-J, see Picherit C, 307
Davidson L, see Sánchez-Castillo CP, 725
Davidsson L, Dimitriou T, Walczyk T & Hurrell RF *Iron absorption from experimental infant formulas based on pea (Pisum sativum)-protein isolate: the effect of phytic acid and ascorbic acid*, DOI: 10.1079/BJN2000232, 59
Davidsson L, see Van Dael P, 157
Davies PSW, see Hill RJ, 415
de Boo TM, see Cikot RJLM, 49
De Diego MA, see Macarulla MT, 607
de Lourdes Solano M, see Sánchez-Castillo CP, 725
Dennison N, see Savary IC, 565
Després J-P, see Doucet E, 715
Deurenberg P, see Deurenberg-Yap M, 491
Deurenberg P *Universal cut-off BMI points for obesity are not appropriate (Invited commentary)*, DOI: 10.1079/BJN2000273, 135
Deurenberg-Yap M, Schmidt G, van Staveren WA, Hautvast JGAJ & Deurenberg P *Body fat measurement among Singaporean Chinese, Malays and Indians: a comparative study using a four-compartment model and different two-compartment models*, DOI: 10.1079/BJN2000276, 491
Dimitriou T, see Davidsson L, 59
Dionne I, see Yoshioka M, 203
Doherty CP, Sarkar MAK, Shakur MS, Ling SC, Elton RA & Cutting WA *Linear and knemometric growth in the early phase of rehabilitation from severe malnutrition*, DOI: 10.1079/BJN2001351, 755
Doucet E, see Yoshioka M, 203
Doucet E, St-Pierre S, Alméras N, Després J-P, Bouchard C & Tremblay A *Evidence for the existence of adaptive thermogenesis during weight loss*, DOI: 10.1079/BJN2001348, 715
Dragsted LO, see Young JF, 765
Drapeau V, see Yoshioka M, 203
Dubois S, see Quiniou N, 97
Duclos M, see Folch N, 671

Ebara S, see Takenaka S, 699
Ellis WC, see Poppi DP, 553
Elton RA, see Doherty CP, 755
Enser M, see Scollan ND, 115
Evans P & Halliwell B *Micronutrients: oxidant/antioxidant status*, DOI: 10.1049/BJN2000296, S67

Fairweather-Tait S, see Meisel H, 635
Favier A, see Arnaud J, 741
Fay LB, see Van Dael P, 157
Felzenszwalb I, see Kovary K, 431
Fielding BA, see Jackson KG, 149
Fischer K, Colombani PC, Langhans W & Wenk C *Cognitive performance and its relationship with postprandial metabolic changes after ingestion of different macronutrients in the morning*, DOI: 10.1079/BJN2000269, 393
Fisher AV, see Scollan ND, 115
FitzGerald RJ, see Meisel H, 635
Flachowsky G, see Barkow B, 179
Fleites-Mestre P, see Arnaud J, 741
Flourié B, see Marteau P, S17
Folch N, Péronnet F, Massicotte D, Duclos M, Lavoie C & Hillaire-Marcel C *Metabolic response to small and large ^{13}C-labelled pasta meals following rest or exercise in man*, DOI: 10.1079/BJN2001325, 671
Fontagné S, see Panserat S, 649
Forrester TE, see Murphy JL, 705
Frankel T, see Speakman JR, 75
Franklin M, see Sánchez-Castillo CP, 725
Frayn KN, see Jackson KG, 149

Gallagher A *The Glucose Revolution (Book review)*, DOI: 10.1079/BJN2000229, 407
García C, see Viña JR, 173
Garcia Garcia I, see Arnaud J, 741
Garnsworthy PC *Feeding systems and Feed Evaluation Models (Book review)*, DOI: 10.1079/BJN2000346, 245
Gauter H, see Arnaud J, 741
Gavet S, see Hoskin SO, 591
Gerdes LU, see Osler M, 219
Ghyczy M & Boros M *Electrophilic methyl groups present in the diet ameliorate pathological states induced by reductive and oxidative stress: a hypothesis*, DOI: 10.1079/BJN2000274, 409
Giacco R, Brighenti F, Parillo M, Capuano M, Ciardullo AV, Rivieccio A, Rivellese AA & Riccardi G *Characteristics of some wheat-based foods of the Italian diet in relation to their influence on postprandial glucose metabolism in patients with type 2 diabetes*, DOI: 10.1079/BJN2000218, 33
Gibson RS & Hotz C *Dietary diversification/modification strategies to enhance micronutrient content and bioavailability of diets in developing countries*, DOI: 10.1079/BJN2001309, S159
Gibson S, see Lumbers M, 733
Gil-Martinez E, see Olmedilla B, 227
Giménez A, see Viña JR, 173
Goris AHC, Meijer EP & Westerterp KR *Repeated measurement of habitual food intake increases under-reporting and induces selective under-reporting*, DOI: 10.1079/BJN2001322, 629
Goudonnet H, see Haberkorn V, 289
Granado F, see Olmedilla B, 227
Granado F, see O'Neill ME, 499
Guerin S, Ramonet Y, LeCloarec J, Meunier-Salaün MC, Bourguet P & Malbert CH *Changes in intragastric meal distribution are better predictors of gastric emptying rate in conscious pigs than are meal viscosity or dietary fibre concentration*, DOI: 10.1079/BJN2000271, 343
Gylling H, see Relas H, 141

Haberkorn V, Heydel J-M, Mounie J, Artur Y & Goudonnet H *Influence of vitamin A status on the regulation of uridine (5′-)diphosphate-glucuronosyltransferase (UGT) 1A1 and UGT1A6 expression by* L-triiodothyronine, DOI: 10.1079/BJN2000243, 289
Hagemeister H, see Löhrke B, 447
Hales CN, see Lewis RM, 193
Halliwell B, see Evans P, S67
Hanczakowski P, see Szymczyk B, 465
Hänninen O, see Ågren JJ, 137
Hänsch GM, see Watzl B, 483
Hansen M, see Young JF, 765
Hartmann R, see Meisel H, 635
Hartung H, see Schöne F, 659
Hautvast JGAJ, see Deurenberg-Yap M, 491
Heitmann BL, see Osler M, 219
Helander A, see Kroke A, 621
Helve T, see Ågren JJ, 137
Hernandez-Fernandez T, see Arnaud J, 741
Heydel J-M, see Haberkorn V, 289
Higgins S, Carroll YL, McCarthy SN, Corridan BM, Roche HM, Wallace JMW, O'Brien NM & Morrissey PA *Susceptibility of LDL to oxidative modification in healthy volunteers supplemented with low doses of n-3 polyunsaturated fatty acids*, DOI: 10.1079/BJN2000220, 23
Higueret P, see Macarulla MT, 607
Hill RJ & Davies PSW *The validity of self-reported energy intake as determined using the doubly labelled water technique*, DOI: 10.1079/BJN2000281, 415
Hillaire-Marcel C, see Folch N, 671

Hininger I, see O'Neill ME, 499
Hoffmann K, see Kroke A, 621
Hoffmann K, see Schulze MB, 363
Hoskin SO, Gavet S, Milne E & Lobley GE *Does glutamine act as a substrate for transamination reactions in the liver of fed and fasted sheep?*, DOI: 10.1079/BJN2001332, 591
Hoskin SO, see Savary IC, 565
Hotz C, see Gibson RS, S159
Howlett JF *Low-digestible carbohydrates: the regulatory framework*, DOI: 10.1079/BJN2000262, S55
Hsieh J-F, see Shiau S-Y, 213
Hsu J-T, see Ying C, 615
Hurrell RF, see Davidsson L, 59

Iossa S, Lionetti L, Mollica MP, Crescenzo R, Barletta A & Liverini G *Effect of cold exposure on energy balance and liver respiratory capacity in post-weaning rats fed a high-fat diet*, DOI: 10.1079/BJN2000219, 89
Iwaasa AD, see Wang Y, 325

Jackson AA, see Murphy JL, 705
Jackson KG, Robertson DM, Fielding BA, Frayn KN & Williams CM *Second meal effect: modified sham feeding does not provoke the release of stored triacylglycerol from a previous high-fat meal*, DOI: 10.1079/BJN2000226, 149
Jahreis G, see Schöne F, 659
James LA, see Lewis RM, 193
James WPT, see Sánchez-Castillo CP, 725
Jørgensen LM, see Osler M, 219

Kaplan GA, see Rissanen TH, 749
Kapsokefalou M & Miller DD *Iron loading and large doses of intravenous ascorbic acid promote lipid peroxidation in whole serum in guinea pigs*, DOI: 10.1079/BJN2001319, 681
Kaushik S, see Panserat S, 649
Kemper HCG, see Post GB, 375
Kennedy NP, see Corish CA, 509
Kirk SFL *The Diet Dilemma - Explained (Book reviews)*, DOI: 10.1079/BJN2000268, 511
Klipstein-Grobusch K, see Kroke A, 621
Ko GTC, Tang J, Chan JCN, Sung R, Wu MMF, Wai HPS & Chen R *Lower BMI cut-off value to define obesity in Hong Kong Chinese: an analysis based on body fat assessment by bioelectrical impedance*, DOI: 10.1079/BJN2000251, 239
Kovary K, Louvain TS, Costa e Silva MC, Albano F, Pires BBM, Laranja GAT, Lage CLS & Felzenszwalb I *Biochemical behaviour of norbixin during in vitro DNA damage induced by reactive oxygen species*, DOI: 10.1079/BJN2000287, 431
Krishnaswamy K & Nair KM *Importance of folate in human nutrition*, DOI: 10.1079/BJN2000303, S115
Krishnaswamy K, see Sivakumar B, Ś167
Kroke A, Klipstein-Grobusch K, Hoffmann K, Terbeck I, Boeing H & Helander A *Comparison of self-reported alcohol intake with the urinary excretion of 5-hydroxytryptophol:5-hydroxyindole-3-acetic acid, a biomarker of recent alcohol intake*, DOI: 10.1079/BJN2000289, 621
Kroke A, see Schulze MB, 363
Kuhla S, see Löhrke B, 447
Kurt E, see Scollan ND, 115
Kuwata T, see Tsuchita H, 5

Lage CLS, see Kovary K, 431
Lagiou P, see Trichopoulos D, 133
Lakka TA, see Rissanen TH, 749
Lambert MS, Avella MA, Berhane Y, Shervill E & Botham KM *The differential hepatic uptake of chylomicron remnants of different fatty acid composition is not mediated by hepatic lipase*, DOI: 10.1079/BJN2000328, 575
Lane CN, see Meisel H, 635
Langhans W, see Fischer K, 393
Laranja GAT, see Kovary K, 431
Lascano CE, see Poppi DP, 553
Latorraca MQ, see Reis MAB, 549
Lauridsen ST, see Young JF, 765
Lavoie C, see Folch N, 671
Lebecque P, see Picherit C, 307
LeCloarec J, see Guerin S, 343
Lee A, see Cummings J, S59
Lee A, see Zumbé A, S31
Lee A, see Storey D, S1
Legrand-Defretin V, see Speakman JR, 75
Leiterer M, see Schöne F, 659
Lewis RM, James LA, Zhang J, Byrne CD & Hales CN *Effects of maternal iron restriction in the rat on hypoxia-induced gene expression and fetal metabolite levels*, DOI: 10.1079/BJN2000247, 193
Ling SC, see Doherty CP, 755
Lionetti L, see Iossa S, 89
Liverini G, see Iossa S, 89
Livesey G *A perspective on food energy standards for nutrition labelling (Review article)*, DOI: 10.1079/BJN2000253, 271
Lobley GE, Bremner DM & Brown DS *Response in hepatic removal of amino acids by the sheep to short-term infusions of varied amounts of an amino acid mixture into the mesenteric vein*, DOI: 10.1079/BJN2001333, 689
Lobley GE, see Hoskin SO, 591
Lobley GE, see Savary IC, 565
Löhrke B, Saggau E, Schadereit R, Beyer M, Bellmann O, Kuhla S & Hagemeister H *Activation of skeletal muscle protein breakdown following consumption of soyabean protein in pigs*, DOI: 10.1079/BJN2000291, 447
López N, see Sánchez-Castillo CP, 725
Louvain TS, see Kovary K, 431
Luehrs H, see Scheppach W, S23
Lumbers M, New SA, Gibson S & Murphy MC *Nutritional status in elderly female hip fracture patients: comparison with an age-matched home living group attending day centres*, DOI: 10.1079/BJN2001350, 733
Lunn PG, see Panter-Brick C, 125
Luz Fernandez M, see Ramjiganesh T, 165

McAllister TA, see Wang Y, 325
McCappin T, see Speakman JR, 75
McCarthy SN, see Higgins S, 23
McDonagh D, see Meisel H, 635
McIntyre JC, see Ramjiganesh T, 165
McNeill G, see Sánchez-Castillo CP, 725
Macarulla MT, Medina C, De Diego MA, Chávarri M, Zulet MA, Martínez JA, Nöel-Suberville C, Higueret P & Portillo MP *Effects of the whole seed and a protein isolate of faba bean (*Vicia faba*) on the cholesterol metabolism of hypercholesterolaemic rats*, DOI: 10.1079/BJN2000330, 607
Mahalanabis D & Bhan MK *Micronutrients as adjunct therapy of acute illness in children: impact on the episode outcome and policy implications of current findings*, DOI: 10.1049/BJN2000308, S151
Malbert CH, see Guerin S, 343
Marley J, see Cross GB, 475
Martínez JA, see Macarulla MT, 607
Marteau P & Flourié B *Tolerance to low-digestible carbohydrates: symptomatology and methods*, DOI: 10.1079/BJN2000258, S17
Massicotte D, see Folch N, 671
Mathers JC, see Seal CJ, 317
Matis JH, see Poppi DP, 553
Matte JJ, see Barkow B, 179
Medina C, see Macarulla MT, 607
Meijer EP, see Goris AHC, 629
Meisel H, Bernard H, Fairweather-Tait S, FitzGerald RJ, Hartmann

R, Lane CN, McDonagh D, Teucher B & Wal JM *Nutraceutical and functional food ingredients for food and pharmaceutical applications (Letter to the Editors)*, DOI: 10.1079/BJN2001324, 635
Mendis S, Samarajeewa U & Thattil RO *Coconut fat and serum lipoproteins: effects of partial replacement with unsaturated fats*, DOI: 10.1079/BJN2001331, 583
Mensink RP, see Vermunt SHF, 387
Menzel T, see Scheppach W, S23
Merkus HMWM, see Cikot RJLM, 49
Meunier-Salaün MC, see Guerin S, 343
Miettinen TA, see Relas H, 141
Miles EA, Wallace FA & Calder PC *An olive oil-rich diet reduces scavenger receptor mRNA in murine macrophages*, DOI: 10.1079/BJN2000244, 185
Miles H, see Cross GB, 475
Miller DD, see Kapsokefalou M, 681
Milne E, see Hoskin SO, 591
Miyamoto E, see Takenaka S, 699
Mohsen R, see Samuelson G, 333
Mollica MP, see Iossa S, 89
Moloney A *Forage Evaluation in Ruminant Nutrition (Book review)*, DOI: 10.1079/BJN2001355, 761
Morgavi DP, see Wang Y, 325
Morinan A *Introduction to the Blood–Brain Barrier. Methodology, Biology and Pathology (Book review)*, DOI: 10.1079/BJN2000228, 245
Morrissey PA, see Higgins S, 23
Mounie J, see Haberkorn V, 289
Muñoz-Box R, see Van Dael P, 157
Muirhead RH, see Pearson RA, 599
Murphy JL, Robinson EN, Forrester TE, Wootton SA & Jackson AA *Gastrointestinal handling and metabolic disposal of ^{13}C-labelled tripalmitin during rehabilitation from childhood malnutrition*, DOI: 10.1079/BJN2001358, 705
Murphy MC, see Lumbers M, 733
Murphy O *Non-polyol low-digestible carbohydrates: food applications and functional benefits*, DOI: 10.1079/BJN200261, S47

Nair KM, see Krishnaswamy K, S115
Nair KM, see Sivakumar B, S167
Nair KM *Alternate strategies for improving iron nutrition: lessons from recent research*, DOI: 10.1049/BJN2000313, S187
Nakano Y, see Takenaka S, 699
Nenonen MT, see Ågren JJ, 137
Neudecker C, see Watzl B, 483
New SA, see Lumbers M, 733
Noblet J, see Quiniou N, 97
Nöel-Suberville C, see Macarulla MT, 607
Nsereko VL, see Wang Y, 325
Nyyssönen K, see Rissanen TH, 749

O'Brien NM, see Higgins S, 23
Ohtsuka R, see Yamauchi T, 65
O'Leary K & Sheehy PJA *Influence of folic acid-fortified foods on folate status in a folate depletion–repletion rat model*, DOI: 10.1079/BJN2000288, 441
Olmedilla Bñ, Granado F, Southon S, Wright AJA, Blanco I, Gil-Martinez E, van den Berg H, Corridan B, Roussel A-M, Chopra M & Thurnham DI *Serum concentrations of carotenoids and vitamins A, E, and C in control subjects from five European countries*, DOI: 10.1079/BJN2000248, 227
Olmedilla B, see O'Neill ME, 499
O'Neill ME, Carroll Y, Corridan B, Olmedilla B, Granado F, Blanco I, Van den Berg H, Hininger I, Rousell A-M, Chopra M, Southon S & Thurnham DI *A European carotenoid database to assess carotenoid intakes and its use in a five-country comparative study*, DOI: 10.1079/BJN2000284, 499
Osler M, Heitmann BL, Gerdes LU, Jørgensen LM & Schroll M *Dietary patterns and mortality in Danish men and women: a prospective observational study*, DOI: 10.1079/BJN2000240, 219
Oubiña P, Sánchez-Muniz FJ, Ródenas S & Cuesta C *Eicosanoid production, thrombogenic ratio, and serum and LDL peroxides in normo- and hypercholesterolaemic post-menopausal women consuming two oleic acid-rich diets with different content of minor components*, DOI: 10.1079/BJN2000230, 41

Pérez-Cristià R, see Arnaud J, 741
Péronnet F, see Folch N, 671
Panserat S, Fontagné S, Bergot P & Kaushik S *Ontogenesis of hexokinase I and hexokinase IV (glucokinase) gene expressions in common carp* (Cyprinus carpio) *related to diet (Short communication)*, DOI: 10.1079/BJN2001347, 649
Panter-Brick C, Lunn PG, Baker R & Todd A *Elevated acute-phase protein in stunted Nepali children reporting low morbidity: different rural and urban profiles*, DOI: 10.1079/BJN2000225, 125
Parillo M, see Giacco R, 33
Pearson RA, Archibald RF & Muirhead RH *The effect of forage quality and level of feeding on digestibility and gastrointestinal transit time of oat straw and alfalfa given to ponies and donkeys*, DOI: 10.1079/BJN2001321, 599
Pedersen JI *More on* trans *fatty acids (Invited commentary)*, DOI: 10.1079/BJN2000286, 249
Perez-Camargo G, see Speakman JR, 75
Picherit C, Chanteranne B, Bennetau-Pelissero C, Davicco M-J, Lebecque P, Barlet J-P & Coxam V *Dose-dependent bone-sparing effects of dietary isoflavones in the ovariectomised rat*, DOI: 10.1079/BJN2000252, 307
Pires BBM, see Kovary K, 431
Pisulewski PM, see Szymczyk B, 465
Pool-Zobel BL, see Watzl B, 483
Poppi DP, Ellis WC, Matis JH & Lascano CE *Marker concentration patterns of labelled leaf and stem particles in the rumen of cattle grazing bermuda grass* (Cynodon dactylon) *analysed by reference to a raft model*, DOI: 10.1079/BJN2001317, 553
Portillo MP, see Macarulla MT, 607
Post GB, Vente W, Kemper HCG & Twisk JWR *Longitudinal trends in and tracking of energy and nutrient intake over 20 years in a Dutch cohort of men and women between 13 and 33 years of age: The Amsterdam growth and health longitudinal study*, DOI: 10.1079/BJN2000249, 375
Puertes IR, see Viña JR, 173

Quiniou N, Noblet J, van Milgen J & Dubois S *Modelling heat production and energy balance in group-housed growing pigs exposed to low or high ambient temperatures*, DOI: 10.1079/BJN2000217, 97

Ramjiganesh T, Roy S, McIntyre JC & Luz Fernandez M *The hypocholesterolaemic effects of sitostanol in the guinea pig are in part related to changes in hepatic lipids and lipoprotein composition*, DOI: 10.1079/BJN2000246, 165
Ramonet Y, see Guerin S, 343
Ranganathan S, see Sivakumar B, S167
Rao MV, see Sivakumar B, S167
Rechkemmer G, see Watzl B, 483
Refsum H *Folate, vitamin B_{12} and homocysteine in relation to birth defects and pregnancy outcome*, DOI: 10.1049/BJN2000302, S109
Reis MAB, Latorraca MQ, Carneiro EM, Boschero AC, Saad MJA, Velloso LA & Reyes FGR *Magnesium deficiency improves glucose homeostasis in the rat: studies* in vivo *and in isolated islets* in vitro, DOI: 10.1079/BJN2000294, 549
Relas H, Gylling H & Miettinen TA *Acute effect of dietary stanyl ester dose on post-absorptive α-tocopherol, β-carotene, retinol and retinyl palmitate concentrations*, DOI: 10.1079/BJN2000231, 141

Reyes FGR, see Reis MAB, 549
Riccardi G, see Giacco R, 33
Riemersma RA, see Vermunt SHF, 387
Rissanen TH, Voutilainen S, Nyyssönen K, Lakka TA, Sivenius J, Salonen R, Kaplan GA & Salonen JT *Low serum lycopene concentration is associated with an excess incidence of acute coronary events and stroke: the Kuopio Ischaemic Heart Disease Risk Factor Study*, DOI: 10.1079/BJN2001357, 749
Rivellese AA, see Giacco R, 33
Rivieccio A, see Giacco R, 33
Robertson DM, see Jackson KG, 149
Robinson EN, see Murphy JL, 705
Roche HM, see Higgins S, 23
Roche HM *Olive oil, high-oleic acid sunflower oil and CHD*, DOI: 10.1079/BJN2000242, 3
Rode LM, see Wang Y, 325
Ródenas S, see Oubiña P, 41
Rodrigues MLCF & Da Costa THM *Association of the maternal experience and changes in adiposity measured by BMI, waist:hip ratio and percentage body fat in urban Brazilian women*, DOI: 10.1079/BJN2000233, 107
Roussel A-M, see O'Neill ME, 499
Roussel A-M, see Olmedilla B, 227
Roy S, see Ramjiganesh T, 165

Saad MJA, see Reis MAB, 549
Sachdev HPS, see Shah D, S101
Saggau E, see Löhrke B, 447
Salonen JT, see Rissanen TH, 749
Salonen R, see Rissanen TH, 749
Samarajeewa U, see Mendis S, 583
Samuelson G, Bratteby L-E, Mohsen R & Vessby B *Dietary fat intake in healthy adolescents: inverse relationships between the estimated intake of saturated fatty acids and serum cholesterol*, DOI: 10.1079/BJN2000279, 333
Sánchez-Castillo CP, Franklin M, McNeill G, de Lourdes Solano M, Bonner S, López N, Davidson L & James WPT *Are the proposed limits of energy intake:basal metabolic rate and dietary nitrogen:urinary nitrogen ratios suitable for validation of food intake?*, DOI: 10.1079/BJN2001327, 725
Sánchez-Muniz FJ, see Oubiña P, 41
Sandström B *Micronutrient interactions: effects on absorption and bioavailability*, DOI: 10.1049/BJN2000312, S181
Sandström B, see Young JF, 765
Sarkar MAK, see Doherty CP, 755
Savary IC, Hoskin SO, Dennison N & Lobley GE *Lysine metabolism across the hindquarters of sheep; effect of intake on transfers from plasma and red blood cells*, DOI: 10.1079/BJN2000318, 565
Sazawal S, see Black RE, S125
Schöne F, Leiterer M, Hartung H, Jahreis G & Tischendorf F *Rapeseed glucosinolates and iodine in sows affect the milk iodine concentration and the iodine status of piglets*, DOI: 10.1079/BJN2001326, 659
Schadereit R, see Löhrke B, 447
Scheppach W, Luehrs H & Menzel T *Beneficial health effects of low-digestible carbohydrate consumption*, DOI: 10.1079/BJN2000259, S23
Schmidt G, see Deurenberg-Yap M, 491
Schroll M, see Osler M, 219
Schulze MB, Hoffmann K, Kroke A & Boeing H *Dietary patterns and their association with food and nutrient intake in the European Prospective Investigation into Cancer and Nutrition (EPIC)–Potsdam study*, DOI: 10.1079/BJN2000254, 363
Scollan ND, Choi N-J, Kurt E, Fisher AV, Enser M & Wood JD *Manipulating the fatty acid composition of muscle and adipose tissue in beef cattle*, DOI: 10.1079/BJN2000223, 115
Seal CJ & Mathers JC *Comparative gastrointestinal and plasma cholesterol responses of rats fed on cholesterol-free diets supplemented with guar gum and sodium alginate*, DOI: 10.1079/BJN2000250, 317
Sébédio J-L, see Vermunt SHF, 387
Seshadri S *Prevalence of micronutrient deficiency particularly of iron, zinc and folic acid in pregnant women in South East Asia*, DOI: 10.1049/BJN2000299, S87
Shah D & Sachdev HPS *Effect of gestational zinc deficiency on pregnancy outcomes: summary of observation studies and zinc supplementation trials*, DOI: 10.1049/BJN2000301, S101
Shakur MS, see Doherty CP, 755
Sheehy PJA, see O'Leary K, 441
Shervill E, see Lambert MS, 575
Shiau S-Y & Hsieh J-F *Quantifying the dietary potassium requirement of juvenile hybrid tilapia* (Oreochromis niloticus × O. aureus), DOI: 10.1079/BJN2000245, 213
Shieh S-C, see Ying C, 615
Sivakumar B, Brahmam GNV, Nair KM, Ranganathan S, Rao MV, Vijayaraghavan K & Krishnaswamy K *Prospects of fortification of salt with iron and iodine*, DOI: 10.1049/BJN2000310, S167
Sivenius J, see Rissanen TH, 749
Snook JT, see Chang C-K, 643
Sommerfelt H, see Bhan MK, S199
Southgate D *Dr Elsie M. Widdowson (A personal appreciation)*, DOI: 10.1079/BJN2001349, 513
Southon S, see Olmedilla B, 227
Speakman JR, Perez-Camargo G, McCappin T, Frankel T, Thomson P & Legrand-Defretin V *Validation of the doubly-labelled water technique in the domestic dog* (Canis familiaris), DOI: 10.1079/BJN2000216, 75
St-Pierre S, see Doucet E, 715
Steegers EAP, see Cikot RJLM, 49
Steegers-Theunissen RPM, see Cikot RJLM, 49
Stewart D *Workshop: consumption and consumer perceptions*, DOI: 10.1079/BJN2000264, S61
Stone TW, see Darlington LG, 251
Storey D & Lee A *Foreword*, DOI: 10.1079/BJN2000255, S1
Storey D, see Cummings J, S59
Storey D, see Zumbé A, S31
Strand T, see Bhan MK, S199
Sugiyama S, see Takenaka S, 699
Sung R, see Ko GTC, 239
Suzuki T, see Tsuchita H, 5
Szczurek W, see Szymczyk B, 465
Szymczyk B, Pisulewski PM, Szczurek W & Hanczakowski P *Effects of conjugated linoleic acid on growth performance, feed conversion efficiency, and subsequent carcass quality in broiler chickens*, DOI: 10.1079/BJN2000293, 465

Takenaka S, Sugiyama S, Ebara S, Miyamoto E, Abe K, Tamura Y, Watanabe F, Tsuyama S & Nakano Y *Feeding dried purple laver (nori) to vitamin B_{12}-deficient rats significantly improves vitamin B_{12} status*, DOI: 10.1079/BJN2001352, 699
Tamura T, see Baggott JE, 653
Tamura Y, see Takenaka S, 699
Taneja S, see Bhandari N, S131
Taneja S, see Bhatnagar S, S139
Tang J, see Ko GTC, 239
Terbeck I, see Kroke A, 621
Teucher B, see Meisel H, 635
Thattil RO, see Mendis S, 583
Thomas CMG, see Cikot RJLM, 49
Thomson P, see Speakman JR, 75
Thurnham DI, see Olmedilla B, 227
Thurnham DI, see O'Neill ME, 499
Tischendorf F, see Schöne F, 659
Todd A, see Panter-Brick C, 125
Tomkins A *Nutrition and maternal morbidity and mortality*, DOI: 10.1049/BJN2000300, S93
Tremblay A, see Doucet E, 715

Tremblay A, see Yoshioka M, 203
Trichopoulos D & Lagiou P *Dietary patterns and mortality (Invited commentary)*, DOI: 10.1079/BJN2000282, 133
Tsuchita H, Suzuki T & Kuwata T *The effect of casein phosphopeptides on calcium absorption from calcium-fortified milk in growing rats*, DOI: 10.1079/BJN2000206, 5
Tsuyama S, see Takenaka S, 699
Tvrzicka E, see Ågren JJ, 137
Twisk JWR, see Post GB, 375

Umezaki M, see Yamauchi T, 65

Van Dael P, Davidsson L, Muñoz-Box R, Fay LB & Barclay D *Selenium absorption and retention from a selenite- or selenate-fortified milk-based formula in men measured by a stable-isotope technique*, DOI: 10.1079/BJN2000227, 157
Van den Berg H, see Olmedilla B, 227
Van den Berg H, see O'Neill ME, 499
van Milgen J, see Quiniou N, 97
van Staveren WA, see Deurenberg-Yap M, 491
Velloso LA, see Reis MAB, 549
Vente W, see Bertheke Post G, 375
Verdura T, see Arnaud J, 741
Vermunt SHF, Beaufrère B, Riemersma RA, Sébédio J-L, Chardigny J-M, Mensink RP and the *Trans*LinE investigators *Dietary* trans α*-linolenic acid from deodorised rapeseed oil and plasma lipids and lipoproteins in healthy men: the* Trans*LinE Study*, DOI: 10.1079/BJN2000270, 387
Vessby B, see Samuelson G, 333
Viña JR, Giménez A, Corbacho A, Puertes IR, Borrás E, García C & Barber T *Blood sulfur-amino acid concentration reflects an impairment of liver transsulfuration pathway in patients with acute abdominal inflammatory processes*, DOI: 10.1079/BJN2000237, 173
Vijayaraghavan K, see Sivakumar B, S167
Voutilainen S, see Rissanen TH, 749

Wai HPS, see Ko GTC, 239
Wal JM, see Meisel H, 635
Walczyk T, see Davidsson L, 59
Wallace FA, see Miles EA, 185
Wallace J *Health and the Food Chain (Book review)*, DOI: 10.1079/BJN2000285, 637
Wallace JMW, see Higgins S, 23
Wang Y, McAllister TA, Rode LM, Beauchemin KA, Morgavi DP, Nsereko VL, Iwaasa AD & Yang W *Effects of an exogenous enzyme preparation on microbial protein synthesis, enzyme activity and attachment to feed in the Rumen Simulation Technique (Rusitec)*, DOI: 10.1079/BJN2000277, 325
Watanabe F, see Takenaka S, 699
Watzl B, Neudecker C, Hänsch GM, Rechkemmer G & Pool-Zobel BL *Dietary wheat germ agglutinin modulates ovalbumin-induced immune responses in Brown Norway rats*, DOI: 10.1079/BJN2000287, 483
Webb GP *The Cambridge World History of Food (Book review)*, DOI: 10.1079/BJN2001354, 761
Wellinghausen N *Immunobiology of gestational zinc deficiency*, DOI: 10.1049/BJN2000298, S81
Wenk C, see Fischer K, 393
Westerterp KR, see Goris AHC, 629
Westerterp-Plantenga MS *Analysis of energy density of food in relation to energy intake regulation in human subjects*, DOI: 10.1079/BJN2000272, 351
Williams C *Energy-Yielding Macronutrients and Energy Metabolism in Sports Nutrition (Book review)*, DOI: 10.1079/BJN2000267, 511
Williams CM, see Jackson KG, 149
Williams CM *The Diamond Jubilee of the Nutrition Society (Editorial)*, DOI: 10.1079/BJN2001266, 1
Willson K, see Cross GB, 475
Wiseman J *Egg Nutrition and Biotechnology (Book review)*, DOI: 10.1079/BJN2000334, 407
Wood JD, see Scollan ND, 115
Wootton SA, see Murphy JL, 705
Wright AJA, see Olmedilla B, 227
Wu MMF, see Ko GTC, 239

Yamauchi T, Umezaki M & Ohtsuka R *Influence of urbanisation on physical activity and dietary changes in Huli-speaking population: a comparative study of village dwellers and migrants in urban settlements*, DOI: 10.1079/BJN2000208, 65
Yang W, see Wang Y, 325
Ying C, Hsu J-T & Shieh S-C *Growth inhibition of human endothelial cells by the phyto-oestrogen biochanin A, a metabolite of genistein*, DOI: 10.1079/BJN2000290, 615
Yoshioka M, Doucet E, Drapeau V, Dionne I & Tremblay A *Combined effects of red pepper and caffeine consumption on 24 h energy balance in subjects given free access to foods*, DOI: 10.1079/BJN2000224, 203
Young JF, Dragsted LO, Daneshvar B, Lauridsen ST, Hansen M & Sandström B *The effect of grape-skin extract on oxidative status (Erratum)*, DOI: 10.1079/BJN20001346, 765

Zhang J, see Lewis RM, 193
Zulet MA, see Macarulla MT, 607
Zumbé A, Lee A & Storey D *Polyols in confectionery: the route to sugar-free, reduced sugar and reduced calorie confectionery*, DOI: 10.1079/BJN2000260, S31